

Cal.
598.2
G885p
cop.4

BERKELEY PUBLIC LIBRARY

598.2 G885p
Pocket list of the birds of the Berkeley



3 1913 00329876 4

A POCKET

BIRDS OF THE BERKELEY CAMPUS

NOTE.—This list is intended for local use in walks afield, when practice desired in the application of definite names to the species and subspecies met with. A seasonal grouping of species is adopted as follows: (1) Resident throughout the year; (2) present through the summer only; (3) present in winter only; (4) transient, that is, migrant in spring or fall or both; (5) vagrant, that is, irregular or sporadic in appearance, with respect to the restricted area here concerned, irrespective of season. This area is comprised in the University of California campus proper, plus the adjoining parts of the city of Berkeley east of Shattuck Avenue, and thence to the west of the Berkeley Hills, thus taking in the whole of the Strawberry Creek watershed.

RESIDENT THROUGHOUT THE YEAR

- Coast Valley Quail (*Lophortyx californica californica*)
- Sharp-shinned Hawk (*Accipiter velox*)
- Western Red-tailed Hawk (*Buteo borealis calurus*)
- American Sparrow Hawk (*Cerchneis sparveria sparveria*)
- American Barn Owl (*Tyto alba pratincola*)
- California Coast Screech Owl (*Otus asio bendirei*)
- Pacific Horned Owl (*Bubo virginianus pacificus*)
- Willow Downy Woodpecker (*Dryobates pubescens tarati*)
- Monterey Red-shafted Flicker (*Colaptes cafer collaris*)
- Anna Hummingbird (*Calypte anna*)
- Black Phoebe (*Sayornis nigricans*)
- California Horned Lark (*Otocoris alpestris actia*)
- Southern Coast Steller Jay (*Cyanocitta stelleri carbonacea*)
- Northwestern California Jay (*Aphelocoma californica oocleptica*)
- Western Meadowlark (*Sturnella neglecta*)
- California Brewer Blackbird (*Euphagus cyanocephalus minusculus*)
- California Purple Finch (*Carpodacus purpureus californicus*)
- California Linnet (*Carpodacus mexicanus frontans*)
- Willow American Goldfinch (*Astragalinus tristis salicamans*)
- Green-backed Goldfinch (*Astragalinus psaltria hesperophilus*)
- Northern Pine Siskin (*Spinus pinus pinus*)
- English House Sparrow (*Passer domesticus domesticus*)
- Nuttall White-crowned Sparrow (*Zonotrichia leucophrys nuttalli*)
- Point Pinos Oregon Junco (*Junco oregonus pinosus*)

- California Rufous-crowned Sparrow (*Aimophila ruficeps ruficeps*)
- Santa Cruz Song Sparrow (*Melospiza melodia santaecrucis*)
- San Francisco Spotted Towhee (*Pipilo maculatus falcifer*)
- San Francisco Brown Towhee (*Pipilo fuscus petulans*)
- California Loggerhead Shrike (*Lanius ludovicianus gambeli*)
- California Hutton Vireo (*Vireo huttoni huttoni*)
- California Thrasher (*Toxostoma redivivum*)
- Vigors Bewick Wren (*Thryomanes bewickii spilurus*)
- Tawny Brown Creeper (*Certhia familiaris occidentalis*)
- California Plain Titmouse (*Baeolophus inornatus inornatus*)
- Pacific Coast Bush-tit (*Psaltriparus minimus minimus*)
- Intermediate Wren-tit (*Chamaea fasciata fasciata*)
- Western Robin (*Planesticus migratorius propinquus*)
- Western Mexican Bluebird (*Sialia mexicana occidentalis*)

PRESENT THROUGH THE SUMMER ONLY

- Western Mourning Dove (*Zenaidura macroura marginella*)
- Northern Turkey Vulture (*Cathartes aura septentrionalis*)
- Allen Hummingbird (*Selasphorus alleni*)
- Olive-sided Flycatcher (*Nuttallornis borealis*)
- Western Wood Pewee (*Myiochanes richardsonii richardsonii*)
- Western Yellow-bellied Flycatcher (*Empidonax difficilis difficilis*)
- Bullock Oriole (*Icterus bullockii*)
- Lawrence Goldfinch (*Astragalinus lawrencei*)
- Western Lark Sparrow (*Chondestes grammacus strigatus*)
- Western Chipping Sparrow (*Spizella passerina arizonae*)
- Pacific Black-headed Grosbeak (*Hedymeles melanocephalus capitalis*)
- Lazuli Bunting (*Passerina amoena*)
- Northern Cliff Swallow (*Petrochelidon lunifrons lunifrons*)
- Western Warbling Vireo (*Vireosylva gilva swainsonii*)
- Cassin Solitary Vireo (*Laniivireo solitarius cassinii*)
- Lutescent Orange-crowned Warbler (*Vermivora celata lutescens*)
- California Yellow Warbler (*Dendroica aestiva brewsteri*)
- Tolmie Warbler (*Oporornis tolmiei*)
- Golden Pileolated Warbler (*Wilsonia pusilla chryseola*)
- Western House Wren (*Troglodytes aedon parkmanii*)
- Russet-backed Thrush (*Hylocichla ustulata ustulata*)

PRESENT IN WINTER ONLY

- Glaucous-winged Gull (*Larus glaucescens*)
- Ring-billed Gull (*Larus delawarensis*)
- Northern Killdeer (*Oxyechus vociferus vociferus*)
- Northern Band-tailed Pigeon (*Columba fasciata fasciata*)

- Marsh Hawk (*Circus hudsonius*)
- Cooper Hawk (*Accipiter cooperii*)
- Sierra Nevada Red-breasted Sapsucker (*Sphyrapicus varius daggetti*)
- Rocky Mountain Say Phoebe (*Sayornis sayus sayus*)
- Cassin Purple Finch (*Carpodacus cassinii*)
- Western Savannah Sparrow (*Passerculus sandwichensis alaudinus*)
- Gambel White-crowned Sparrow (*Zonotrichia leucophrys gambelii*)
- Golden-crowned Sparrow (*Zonotrichia coronata*)
- White-throated Sparrow (*Zonotrichia albicollis*)
- Eastern Slate-colored Junco (*Junco hyemalis hyemalis*)
- Northwestern Oregon Junco (*Junco oreganus oreganus*)
- Sierra Nevada Oregon Junco (*Junco oreganus thurberi*)
- Rusty Song Sparrow (*Melospiza melodia morphna*)
- Forbush Lincoln Sparrow (*Melospiza lincolni striata*)
- Valdez Fox Sparrow (*Passerella iliaca sinuosa*)
- Yakutat Fox Sparrow (*Passerella iliaca annectens*)
- Sooty Fox Sparrow (*Passerella iliaca fuliginosa*)
- Cedar Waxwing (*Bombycilla cedrorum*)
- Black-and-white Warbler (*Mniotilta varia*)
- Eastern Orange-crowned Warbler (*Vermivora celata celata*)
- Dusky Orange-crowned Warbler (*Vermivora celata sordida*)
- Alaska Myrtle Warbler (*Dendroica coronata hooveri*)
- Pacific Audubon Warbler (*Dendroica auduboni auduboni*)
- Townsend Warbler (*Dendroica townsendi*)
- American Pipit (*Anthus rubescens*)
- Western Mockingbird (*Mimus polyglottos leucopterus*)
- Western Winter Wren (*Nannus hiemalis pacificus*)
- Slender-billed White-breasted Nuthatch (*Sitta carolinensis aculeata*)
- Red-breasted Nuthatch (*Sitta canadensis*)
- Western Golden-crowned Kinglet (*Regulus satrapa olivaceus*)
- Western Ruby-crowned Kinglet (*Regulus calendula cineraceus*)
- Sitka Ruby-crowned Kinglet (*Regulus calendula grinnelli*)
- Western Blue-gray Gnatcatcher (*Polioptila caerulea obscura*)
- Townsend Solitaire (*Myadestes townsendi*)
- Dwarf Hermit Thrush (*Hylocichla guttata nanus*)
- Coast Varied Thrush (*Ixoreus naevius naevius*)

TRANSIENT

- American White Pelican (*Pelecanus erythrorhynchos*)
- Green-winged Teal (*Nettion carolinense*)
- Common White-fronted Goose (*Anser albifrons albifrons*)
- Northwestern Belted Kingfisher (*Ceryle alcyon carolina*)
- Vaux Swift (*Chaetura vauxi*)
- Rufous Hummingbird (*Selasphorus rufus*)

- Calliope Hummingbird (*Stellula calliope*)
- Northern Ash-throated Flycatcher (*Myiarchus cinerascens cinerascens*)
- Western Traill Flycatcher (*Empidonax traillii traillii*)
- Western Tanager (*Piranga ludoviciana*)
- Barn Swallow (*Hirundo erythrogaster*)
- Northern Violet-green Swallow (*Tachycineta thalassina lepida*)
- Calaveras Nashville Warbler (*Vermivora ruficapilla gutturalis*)
- Alaska Yellow Warbler (*Dendroica aestiva rubiginosa*)
- Black-throated Gray Warbler (*Dendroica nigrescens*)
- Hermit Warbler (*Dendroica occidentalis*)
- Western Yellow-throat (*Geothlypis trichas occidentalis*)
- Long-tailed Yellow-breasted Chat (*Icteria virens longicauda*)

VAGRANT

- California Great Blue Heron (*Ardea herodias hyperonca*)
- Black-crowned Night Heron (*Nycticorax nycticorax naevius*)
- Prairie Falcon (*Falco mexicanus*)
- Short-eared Owl (*Asio flammeus*)
- Western Burrowing Owl (*Speotyto cunicularia hypugaea*)
- California Road-runner (*Geococcyx californianus*)
- Nuttall Ladder-backed Woodpecker (*Dryobates nuttallii*)
- California Acorn-storing Woodpecker (*Melanerpes formicivorus bairdi*)
- Lewis Woodpecker (*Asyndesmus lewisi*)
- Dusky Poor-will (*Phalaenoptilus nuttallii californicus*)
- White-throated Swift (*Aeronautes melanoleucus*)
- Western American Crow (*Corvus brachyrhynchos hesperis*)
- Pinyon Jay (*Cyanocephalus cyanocephalus*)
- Bi-colored Red-winged Blackbird (*Agelaius phoeniceus californicus*)
- American Crossbill (*Loxia curvirostra minor*)
- Northern Rock Wren (*Salpinctes obsoletus obsoletus*)
- Dotted Canyon Wren (*Catherpes mexicanus punctulatus*)
- Santa Cruz Chestnut-backed Chickadee (*Penthestes rufescens barlowi*)

SUMMARY.—The above list, of birds known to have occurred naturally or near the campus, may be summarized seasonally as follows: Permanent residents, 38; summer residents, 21; winter visitants, 40; transients, 18; vagrants, 18. Total, 135 kinds of birds, identified by various competent observers to date.

JOSEPH GRINNELL and MARGARET W. WYTH

Revised May 20, 1926.

Issued by the MUSEUM OF VERTEBRATE ZOOLOGY,
UNIVERSITY OF CALIFORNIA.

2m-5,'26



BERKELEY
PUBLIC
LIBRARY